



Roofers' Advantage® Products Inc.  
4 Valhalla Way  
Wakefield, NH  
03872

RoofersAdvantage.com  
Call: +1 888 YELONOW (935 6669)  
Fax: +1 (603)-522-5204  
Email: tech@roofersadvantage.com

## Code Approvals



### Re: Technical Specifications & Regulatory Compliance

**Products Covered:** Flash Deck® Nail Base

**ASTM D8257:** Meets & Exceeds Standard Specification for Mechanically Attached Polymeric Roof Underlayment Used in Steep Slope Roofing.

**ASTM D226:** Exceeds the physical performance requirements for Type I and Type II underlayment.

**Florida Building Code:** FL 26047 Approved and compliant with Florida residential and commercial building requirements. Note: This product is approved for use throughout the State of Florida except within the High Velocity Hurricane Zone (HVHZ) as defined by the Florida Building Code.

**QAI Evaluation Report:** CER-1020 Quality Assurance Institute certified for rigorous performance and manufacturing consistency.

**TDI Approved:** Texas Department of Insurance compliant for coastal construction and windstorm-regulated areas.

### CORE PHYSICAL PROPERTIES

- Nominal Thickness: 11 Mills Nominal (Premium High-Performance Multi-Layer Synthetic Composite)
- **Surface:** Advanced Non-Skid Traction Technology
- **Chemistry:** Zero-Asphalt construction for superior thermal stability and durability.

Issued: April 2026 | Document No. FD-TS-02